ACCESSORIES - FITTINGS

ACCESSORIES FOR MA

Description	Length	Code	Extra charge excluding VAT in euros
COVING SECTION			
INSIDE COVING SECTION Smooth pebble white curved plastic coving sections designed for bacteria-free protection of joins between walls and ceilings.	2.40 m long with angle iron and rivets	TSCONG2400	**10**
	3.20 m long with angle iron and rivets	TSCONG3200	**14**
Corner coving Piece joining three coving sections made of the same material	Set of 4 corner covings	TSCANGLE00	**6**
SKIRTING			
Black skirting rigid with grooves, 11 cm high. Designed to ensure double protection of the foot of the wall (damage and dirt). Designed to meet stringent hygiene standards, it is installed using skirting corners, skirting ends and 2 beads of mastic to be placed in the upper and lower grooves during installation.	1*2.40 m skirting with attachment rivets	TSPLINTH00	**13**
Skirting corners Made of black plastic for adhesive bonding during installation on the bare ends of skirting.	1 set of 4 skirting corners	TSCPLINT00	**5**
Skirting ends Made of black plastic for adhesive bonding during installation on the bare ends of skirting.	1 set of 2 skirting ends (1 left + 1 right)	TSEPLINT00	**2**
Outside skirting angles	1 set of 4 angles	TSAPLINT00	**8**
MASTICS			
Black for joining skirting and plugging holes in the floor	Cartridge 100g 80 holes	01J0103200	**7**
White for joins at top and bottom of skirting	Cartridge : 310ml	01J0103000	**10**
Grey for floor panels	Cartridge : 310ml	01J0102900	**10**

ACCESSORIES
for MA and Taïga

Description	Length	Code	Extra charge excluding VAT in euros
LISSES DE PROTECTIONS			
Handrails 3.20 m pebble white hard plastic section with attachment screws protects panels in passageways and other traffic areas	3.20 m long with fixation screw	TSLIPROT00	**37**
Handrail end pieces To be snapped into the end of a handrail	Set of 2 end pieces	TSELIPRO00	**3**

VALVES

description	Code	Extra charge excluding VAT in euros
Valve TS 23 in wall panels	81700T9100	**233**
Valve TS 21 in wall panels	81700T9000	**92**

TYPE AND NUMBER OF VALVES TO BE USED

Volume in m3	Temperature of cold room in °C							
	-40	-35	-30	-25	-20	-15	-10	-5
Up to 10m3	1	1	1	1	1	1	1	1
Up to 20m3	1	1	1	1	1	1	1	
Up to 30m3	1	1	2	2	2	2	2	2
Up to 40m3	1	1	2	2	2	2	2	2
Up to 50m3	1	1	2	2	2	2	2	2
from 50 to 100 m3	1	1	1	1	1	1	1	1

Valve TS 23

Valve TS 21

ACCESS RAMP

Make of 22 mm thick plywood and covered with stainless steel checkplate, the access ramp facilitates access to cold rooms that do not have setdowns .

Length 1200	Height 120 mm		Height 160 mm		Height 210 mm	
	Width 1200 mm	Width 1600 mm	Width 1200 mm	Width 1600 mm	Width 1200 mm	Width 1600 mm
code	TSTREMA902	TSTREMA903	TSTREMA900	TSTREMA901	TSTREMA200	TSTREMA400
Extra charge excluding VAT in euros	**417**	**527**	**464**	**584**	**528**	**655**

Shelving –duralinox upright shelf supports-PVC wire grid shelves

- the overall height is 1.7 m - the shelves can be adjusted every 15 cm

admissible loads :

- For wire grid shelves of a maximum length of 1 m : 120 kg per correctly distributed level
- For wire grid shelves>1 m : 100 kg per correctly distributed level

4 complete levels : wire grid shelves +2 cladding rails +4 flanges +ladders (standard shelves)

Wall length	Dimensions	Combinaison	Ladder	360 mm wire grid shelves		460 mm wire grid shelves	
				Code	Extra charge excluding VAT in euros	Code	Extra charge excluding VAT in euros
800	657 (1)	66	2	ARA3806600	**304**	ARA4806600	**339**
800	777 (2)	78	2	ARA3807800	**327**	ARA4807800	**353**
1200	1077 (3)	108	2	ARA3810800	**364**	ARA4810800	**409**
1600	1527 (3)	2 x 78	3	ARA3816000	**577**	ARA4816000	**625**
2000	1827 (1)	66 + 120	3	ARA3820100	**615**	ARA4820100	**689**
2000	1947 (2)	90 + 108	3	ARA3820000	**628**	ARA4820000	**700**
2400	2247 (1)	78 + 150	3	ARA3824100	**691**	ARA4824100	**754**
2400	2367 (2)	90 + 150	3	ARA3824000	**700**	ARA4824000	**780**
2800	2607 (1)	2 x 132	3	ARA3828100	**733**	ARA4828100	**826**
2800	2787 (2)	132 + 150	3	ARA3828000	**770**	ARA4828000	**854**
3200	3027 (1)	132 + 174	3	ARA3832100	**841**	ARA4832100	**954**
3200	3177 (2)	108 x 3	4	ARA3832000	**936**	ARA4832000	**1066**
3600	3537 (3)	3 x 120	4	ARA3836000	**1011**	ARA4836000	**1129**
4000	3897 (1)	3 x 132	4	ARA3840100	**1061**	ARA4840100	**1199**
4000	3987 (2)	66 + 78 + 132 x 2	5	ARA3840200	**1209**	ARA4840200	**1357**

(1) cold room with skirting and coving section
(2) cold room without skirting and coving section
(3) can be used in the two first cases

1 level : wire grid shelves + 2 cladding rails + 4 flanges (standard shelves)

Overall length in mm	360 mm wire grid shelves		460 mm wire grid shelves	
	Code	Extra charge excluding VAT in euros	Code	Extra charge excluding VAT in euros
657	04B0411800	**36**	04B0414000	**45**
777	04B0412000	**43**	04B0412600	**49**
897	04B0412100	**45**	04B0412700	**52**
1077	04B0412200	**53**	04B0412800	**63**
1197	04B0412300	**56**	04B0412900	**68**
1317	04B0412400	**61**	04B0413000	**73**
1497	04B0412500	**69**	04B0413100	**80**
1737	04B0411900	**87**	04B0414100	**101**

description	Code		Extra charge excluding VAT in euros
	360 mm wire grid shelves	460 mm wire grid shelves	
Echelle	04B0413200	04B0413300	**81**
Renvoi d'angle	04B0413800	04B0413900	**18**

RACKS height 215 cm

Galvanised rack : poteaux et lisses de structure en acier galvanisé – lisses accrochage en inox – éléments d'assemblage en alliage d'aluminium – visserie en acier zingué
Stainless steel rack : poteaux en inox brossé – lisses de structure en inox poli grain 120 – lisses d'accrochage en inox – éléments d'assemblage en alliage d'aluminium – visserie en inox

RACKS WITH SMOOTH BARS

Depth * width ofcold room	N° of smooth bars	Stockage capacity (in meter)	Code galvanised rack	Price excluding VAT in euros	Code stainless steel rack	Price excluding VAT in euros
1600 x 1200	4	4,8	03DBLG1612	**1307**	03DBLX1612	**2337**
1600 x 1600	4	6,4	03DBLG1616	**1554**	03DBLX1616	**2848**
1600 x 2000	4	8	03DBLG1620	**1848**	03DBLX1620	**3242**
1600 x 2400	4	9,6	03DBLG1624	**2015**	03DBLX1624	**3510**
2000 x 1600	5	8	03DBLG2016	**1681**	03DBLX2016	**2913**
2000 x 2000	5	10	03DBLG2020	**1882**	03DBLX2020	**3214**
2000 x 2400	5	12	03DBLG2024	**2463**	03DBLX2024	**4184**
2000 x 2800	5	14	03DBLG2028	**2664**	03DBLX2028	**4486**
2400 x 1600	6	9,6	03DBLG2416	**2286**	03DBLX2416	**3881**
2400 x 2000	6	12	03DBLG2420	**2529**	03DBLX2420	**4250**
2400 x 2400	6	14,4	03DBLG2424	**3049**	03DBLX2424	**5141**
2400 x 2800	6	16,8	03DBLG2428	**3293**	03DBLX2428	**5919**
2800 x 1600	7	11,2	03DBLG2816	**2519**	03DBLX2816	**6321**
2800 x 2000	7	14	03DBLG2820	**2795**	03DBLX2820	**4617**
2800 x 2400	7	16,8	03DBLG2824	**3325**	03DBLX2824	**5516**
2800 x 2800	7	19,6	03DBLG2828	**3601**	03DBLX2828	**5919**
2800 x 3200	7	22,4	03DBLG2832	**3878**	03DBLX2832	**6321**
3200 x 2400	8	19,2	03DBLG3224	**3692**	03DBLX3224	**6185**
3200 x 2800	8	22,4	03DBLG3228	**4002**	03DBLX3228	**6621**
3200 x 3200	8	25,6	03DBLG3232	**4218**	03DBLX3232	**6762**

rack 1600 x 1200



See technical page

RACK WITH MEAT HOOK BARS

Depth * width of cold room	N° of smooth bars	Stockage capacity (in meter)	Code galvanised rack	Price excluding VAT in euros	Code stainless steel rack	Price excluding VAT in euros
1600 x 1200	4	4,8	03DBDG1612	**1594**	03DBDX1612	**2624**
1600 x 1600	4	6,4	03DBDG1616	**1936**	03DBDX1616	**3230**
1600 x 2000	4	8	03DBDG1620	**2325**	03DBDX1620	**3719**
1600 x 2400	4	9,6	03DBDG1624	**2588**	03DBDX1624	**4083**
2000 x 1600	5	8	03DBDG2016	**2159**	03DBDX2016	**3390**
2000 x 2000	5	10	03DBDG2020	**2479**	03DBDX2020	**3811**
2000 x 2400	5	12	03DBDG2024	**3180**	03DBDX2024	**4901**
2000 x 2800	5	14	03DBDG2028	**3500**	03DBDX2028	**5322**
2400 x 1600	6	9,6	03DBDG2416	**2859**	03DBDX2416	**4454**
2400 x 2000	6	12	03DBDG2420	**3245**	03DBDX2420	**4966**
2400 x 2400	6	14,4	03DBDG2424	**3909**	03DBDX2424	**6000**
2400 x 2800	6	16,8	03DBDG2428	**4295**	03DBDX2428	**6512**
2800 x 1600	7	11,2	03DBDG2816	**3187**	03DBDX2816	**4883**
2800 x 2000	7	14	03DBDG2820	**3631**	03DBDX2820	**5453**
2800 x 2400	7	16,8	03DBDG2824	**4328**	03DBDX2824	**6519**
2800 x 2800	7	19,6	03DBDG2828	**4771**	03DBDX2828	**7089**
2800 x 3200	7	22,4	03DBDG2832	**5215**	03DBDX2832	**7658**
3200 x 2400	8	19,2	03DBDG3224	**4838**	03DBDX3224	**7331**
3200 x 2800	8	22,4	03DBDG3228	**5339**	03DBDX3228	**7958**
3200 x 3200	8	25,6	03DBDG3232	**5747**	03DBDX3232	**8290**

Rack 1600 x 2400



ACCESSORIES

description	**Set of 10** 160 mm stainless steel S hook	**Set of 10** 180 mm stainless steel S hook	**Set of 10** 165 mm three ring hook	**Set of 10** 190 mm three ring hook	Stainless steel Sliding hook 50 x 10
Code	03DAC00001	03DAC00002	03DAC00010	03DAC00011	03DAC00040
Price excluding VAT in euros	**15** for 10	**28** for 10	**34** for 10	**41** for 10	**12**
Description	Ceiling suspension height 200	Ceiling suspension height 400	horizontal support lg 200 with reinfort	Ml of stainless steel smooth bar 30 x 6 buffed 3 sides	Ml of stainless steel meat hook bar 30 x 6 buffed 3 sides
Code	03DAC00020	03DAC00021	03DAC00030	03DAC00050	03DAC00051
Price excluding VAT in euros	**102**	**128**	**251**	**64** by ml	**121** by ml

Smooth bars and meat hook bars : sold by meter in multiples of 50 cm from 1ml to 4ml
Meat hook bars : 8 meat hook by meter
Admissible loads : see technical page

SUSPENSION ACCESSORIES

Description	Code	Price excluding VAT in euros
wall		
th.60	80100T0100	**70**
th.100	80100T0101	**70**
ceiling		
th.60 and 100	80100T0200	**10**
platine de répartition	09B0107000	**10**

Bar on ceiling suspension



Bar on wall suspension



OVER CHARGE GLAZINGS
for MA and Taïga

insulated double glazing for use in 60 mm and 100 mm inside partitions at temperatures above freezing.

Maximum conditions to prevent condensation :
Δ† ° maxi : 20 ° relative humidity 60%
Δ† ° maxi : 15 ° relative humidity 70%

VITRAGE DOUBLE SUR PROFILE CAOUTCHOUC

	Window surface H x l in cm	For th.60		For th.100	
		Code	Price excluding VAT in euros	Code	Price excluding VAT in euros
With black rubber section and rounded angles, radius 12 cm thickness 16 mm consisting of 2 annealed glass windows cavity 6 mm	821 x 936	TVEPDM3000	**361**	TVEPDM3500	**402**
	821 x 1336	TVEPDM3100	**412**	TVEPDM3600	**464**
	821 x 1736	TVEPDM3200	**552**	TVEPDM3700	**613**
	821 x 2136	TVEPDM3300	**647**	TVEPDM3800	**717**
	821 x 1106	TVEPDM3400	**432**	TVEPDM3900	**478**



Double glazing in rubber section

DOUBLE GLAZING IN PVC FRAME

	Window surface H x l in cm	For th.60 and 100	
		Code	Price excluding VAT in euros
Double glazing in PVC frame Thickness 20 mm 4 mm annealed glass windows, cavity 12 mm	840 x 840	TVPVC03000	**535**
	840 x 1240	TVPVC03100	**619**
	840 x 1640	TVPVC03200	**704**
	840 x 1040	TVPVC03400	**624**



Double glazing in PVC frame

Single glazing : please contact us